बिड संख्या/Bid Number: GEM/2026/B/8031056

दिनांक /Dated: 22-09-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	06-10-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	07-10-2026 17:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	Ntpc Sail Power Company Ltd
संगठन का नाम/Organisation Name	Ntpc Sail Power Company Ltd
कार्यालय का नाम/Office Name	Nspcl Ssc Bhilai
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :ak.sahoo@nspcl.co.in Buyer Email id: m.vinnakota@nspcl.co.in
कुल मात्रा/Total Quantity	3540
वस्तु श्रेणी /Item Category	M8270720840 , M8270720390 , M8270720035 , M8270120255 , M8270120325 , M8270783038 , M8270783056 , M8270783065 , M8270783074 , M8270783083 , M1666600203 , M1666600221 , M1666600267 , M8272970012 , M8560764415 , M8560535417 , M8560317244 , M8561116301 , M8561119300 , M8561125307 , M8561134233 , M8561434304 , M8561443300 , M8561734411 , M8561425238

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	PVC CONDUIT PIPE:25.4MM NOMINAL DIA, PVC CNDUT PIPE:38MM NOMINAL DIA, PVC CNDUT PIPE:3/4"N/DIA, PVC ELBOW:25MM N/DIA, PVC ELBOW:32MM N/DIA, FLX PVC CNDUT:12MM, FLX PVC CNDUT:18MM, FLX PVC CNDUT:23MM, FLX PVC CNDUT:29MM, FLX PVC CNDUT:36MM, PVC PIPE:PVC CASING&CAPING:20 MM/ 3/4 ", PVC PIPE:PVC CASING & CAPING:25MM OR 1IN, PVC PIPE:PVC CASING&CAPING:DN-40/1-1/2 ", CEILING ROSE:STANDARD, RCBO/RCCB/ELCB:4P:63A/30mA:415V, RCBO/RCCB/ELCB:3:32 A/30 MA:415V, RCBO/RCCB/ELCB:2P:16A/30mA:240V, MCB:SP:6A:240V/415V AC, MCB:SP:10A:240V/415V AC, MCB:SP:16A:240V/415V AC, MCB:SP:32A:230V AC, MCB:DP:32A:240V/415V AC, MCB:DP:63A:240V/415V AC, MCB:TRIPLE POLE NEUTRAL:32A:415V, MCB:DP:16A:230V AC, PVC CONDUIT PIPE:25.4MM NOMINAL DIA, PVC CNDUT PIPE:38MM NOMINAL DIA, PVC ELBOW:25MM N/DIA, FLX PVC CNDUT:12MM, FLX PVC CNDUT:18MM, FLX PVC CNDUT:23MM, PVC PIPE:PVC CASING&CAPING:20 MM/ 3/4 ", PVC PIPE:PVC CASING & CAPING:25MM OR 1IN, PVC PIPE:PVC CASING&CAPING:DN-40/1-1/2 ", CEILING ROSE:STANDARD, RCBO/RCCB/ELCB:3:32 A/30 MA:415V, RCBO/RCCB/ELCB:4P:63A/30mA:415V
	Searched String: PVC CONDUIT PIPE:25.4MM NOMINAL DIA Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, Biosafety Cabinet (V2), Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), Pipe Cutter, Hydraulic Hose, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: PVC CNDUT PIPE:38MM NOMINAL DIA Pipe Cutter, Biosafety Cabinet (V2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Large Outer Diameter Casing Pipes (Petroleum Industry), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: PVC CNDUT PIPE:3/4"N/DIA Pipe Cutter, Entry and Mid Level Desktop Computer, PVC

बिड विवरण/Bid Details	gitti, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Pipe Clips, Steel Pipes for Water and Sewage as per IS 3589, High End Desktop Computer, Cross - Over Pipe for Line Pipe Casing Pipe (Petroleum Industry), PVC Sheet (V2) **Searched String**: PVC ELBOW:25MM N/DIA Prosthetic Elbow Joints (Electric Elbow), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Heat Elbow Wrap, PVC Sheet (V2), Prosthetic Elbow Joint, Dry Erase Writing Boards (V3), N Heptane, Biosafety Cabinet (V2), N,N Dimethyl P Phenylenediamine Dihydrochloride, Pin Up Notice Board (V2) **Searched String**: PVC ELBOW:32MM N/DIA Prosthetic Elbow Joints (Electric Elbow), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Heat Elbow Wrap, PVC Sheet (V2), Prosthetic Elbow Joint, Dry Erase Writing Boards (V3), N Heptane, Biosafety Cabinet (V2), N,N Dimethyl P Phenylenediamine Dihydrochloride, Pin Up Notice Board (V2) **Searched String**: FLX PVC CNDUT:12MM PVC gitti, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Strip Curtain, PVC Sheet (V2), PVC Card Printers, Dry Erase Writing Boards (V3), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Item (Gujarat Govt), Cleaning Duster (V3), PVC Shoe Cover (NPCIL) **Searched String**: FLX PVC CNDUT:18MM PVC gitti, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Strip Curtain, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Card Printers, Dry Erase Writing Boards (V3), PVC Sheet (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Item (Gujarat Govt), water baths **Searched String**: FLX PVC CNDUT:23MM PVC gitti, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Strip Curtain, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Card Printers, Dry Erase Writing Boards (V3), PVC Sheet (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Item (Gujarat Govt), Biosafety Cabinet (V2) **Searched String**: FLX PVC CNDUT:29MM PVC gitti, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Strip Curtain, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Card Printers, Dry Erase Writing Boards (V3), PVC Sheet (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Item (Gujarat Govt), Biosafety Cabinet (V2) **Searched String**: FLX PVC CNDUT:36MM

बिड विवरण/Bid Details	PVC gitti, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Strip Curtain, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Card Printers, Dry Erase Writing Boards (V3), PVC Sheet (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Item (Gujarat Govt), Biosafety Cabinet (V2) **Searched String**: PVC PIPE:PVC CASING&CAPING:20 MM/ 3/4 " Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Asbestos Floor Tiles conforming to IS 3461, Cypermethrin 3% + Quinalphos 20% EC (Emulsifiable Concentrate), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Dimethoate 20% + Cypermethrin 3% EC (Emulsifiable Concentrate), Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC gitti, PVC Sheet (V2) **Searched String**: PVC PIPE:PVC CASING & CAPING:25MM OR 1IN Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC gitti, Regular Casing Pipes (ONGC), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Vertical Blinds (V2), Large Outer Diameter Casing Pipes (Petroleum Industry), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Strip Curtain **Searched String**: PVC PIPE:PVC CASING&CAPING:DN-40/1-1/2 " 1, 1, 3 - Triethoxybutane, Nitrile Coated/Nitrile Hand Gloves (V2), Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), Lyophilizer, 1-Bromohexadecane, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Towel Hand Cotton Turkish (IAF), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Cardiopulmonary Bypass Connectors (V2) **Searched String**: CEILING ROSE:STANDARD Ceiling Roses Conforming To IS 371 (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Ceiling OT Light (V2), Chandeliers-Handicraft, Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Universal Pipette Tips (V2), Chandeliers-Handicraft (Bamboo), Standalone Ceiling Mounted Fire Suppression System, Network Attached Storage (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: RCBO/RCCB/ELCB:4P:63A/30mA:415V Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), water baths, Multi function Calibrators, File/Folder (V3), Cotton Towelling And Towels Conforming To IS 7056 (V4), Biosafety Cabinet (V2) **Searched String**: RCBO/RCCB/ELCB:3:32 A/30 MA:415V Bifenthrin 3% + Chlorpyriphos 30% Emulsifiable Concentrate (EC), Entry and Mid Level Desktop Computer, Fehling Solution A&B, Multi function Calibrators, X Ray Machine (200 mA), High End Desktop Computer, 500 mA X - Ray Machine (V2), Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Interactive Panels with CPU, 800 mA X - Ray Machine (V2) **Searched String**: RCBO/RCCB/ELCB:2P:16A/30mA:240V Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Cleaning Duster (V3), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Multi function Calibrators, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Sofa (V3), Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), File/Folder (V3), Cotton Towelling And Towels Conforming To IS 7056 (V4), water baths **Searched String**: MCB:SP:6A:240V/415V AC Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), File/Folder (V3), AC Voltage Transducer (V2), Shaping Machine, AC Current Transducer (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), AC EV Charging Station, Biosafety Cabinet (V2), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Towel Hand Cotton Turkish (IAF) **Searched String**: MCB:SP:10A:240V/415V AC Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), water baths, AC Voltage Transducer (V2), Shaping Machine, AC Current Transducer (V2), File/Folder (V3), AC EV Charging Station, Cotton Towelling And Towels Conforming To IS 7056 (V4), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Biosafety Cabinet (V2) **Searched String**: MCB:SP:16A:240V/415V AC Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Cleaning Duster (V3), AC Voltage Transducer (V2), Shaping Machine, AC Current Transducer (V2), File/Folder (V3), AC EV Charging Station, Cotton Towelling And Towels Conforming To IS 7056 (V4), Split Air

	Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Biosafety Cabinet (V2)
	Searched String: MCB:SP:32A:230V AC Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), File/Folder (V3), AC Voltage Transducer (V2), AC Current Transducer (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), AC EV Charging Station, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Biosafety Cabinet (V2), Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Solenoid Valve (V3) **Searched String**: MCB:DP:32A:240V/415V AC Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), File/Folder (V3), AC Voltage Transducer (V2), Shaping Machine, AC Current Transducer (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), AC EV Charging Station, Biosafety Cabinet (V2), AC Duct Mountable Air Decontamination System, Towel Hand Cotton Turkish (IAF) **Searched String**: MCB:DP:63A:240V/415V AC Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), File/Folder (V3), AC Voltage Transducer (V2), Shaping Machine, AC Current Transducer (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), AC EV Charging Station, Biosafety Cabinet (V2), AC Duct Mountable Air Decontamination System, Towel Hand Cotton Turkish (IAF) **Searched String**: MCB:TRIPLE POLE NEUTRAL:32A:415V Neutral Grounding Resistor (NGR), File/Folder (V3), Metal Pole, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Harvesting Pole, Cotton Towelling And Towels Conforming To IS 7056 (V4), Octagonal Pole (V2), Pole Mounted Stainless Steel Dustbin (V2), Pole (OFB (Defence)), Pole-Mounted Outdoor Dustbin **Searched String**: MCB:DP:16A:230V AC Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Cleaning Duster (V3), AC Voltage Transducer (V2), AC Current Transducer (V2), File/Folder (V3), AC EV Charging Station, AC Duct Mountable Air Decontamination System, Cotton Towelling And Towels Conforming To IS 7056 (V4), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Solenoid Valve (V3) **Searched String**: PVC CONDUIT PIPE:25.4MM NOMINAL DIA Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, Biosafety Cabinet (V2), Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), Pipe Cutter, Hydraulic Hose, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized Polyvinyl

बिड विवरण/Bid Details	Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: PVC CNDUT PIPE:38MM NOMINAL DIA Pipe Cutter, Biosafety Cabinet (V2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Large Outer Diameter Casing Pipes (Petroleum Industry), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: PVC ELBOW:25MM N/DIA Prosthetic Elbow Joints (Electric Elbow), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Heat Elbow Wrap, PVC Sheet (V2), Prosthetic Elbow Joint, Dry Erase Writing Boards (V3), N Heptane, Biosafety Cabinet (V2), N,N Dimethyl P Phenylenediamine Dihydrochloride, Pin Up Notice Board (V2) **Searched String**: FLX PVC CNDUT:12MM PVC gitti, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Strip Curtain, PVC Sheet (V2), PVC Card Printers, Dry Erase Writing Boards (V3), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Item (Gujarat Govt), Cleaning Duster (V3), PVC Shoe Cover (NPCIL) **Searched String**: FLX PVC CNDUT:18MM PVC gitti, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Strip Curtain, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Card Printers, Dry Erase Writing Boards (V3), PVC Sheet (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Item (Gujarat Govt), water baths **Searched String**: FLX PVC CNDUT:23MM PVC gitti, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Strip Curtain, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Card Printers, Dry Erase Writing Boards (V3), PVC Sheet (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Item (Gujarat Govt), Biosafety Cabinet (V2) **Searched String**: PVC PIPE:PVC CASING&CAPING:20 MM/ 3/4 " Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, XLPE Cable

बिड विवरण/Bid Details	for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Asbestos Floor Tiles conforming to IS 3461, Cypermethrin 3% + Quinalphos 20% EC (Emulsifiable Concentrate), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Dimethoate 20% + Cypermethrin 3% EC (Emulsifiable Concentrate), Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC gitti, PVC Sheet (V2) **Searched String**: PVC PIPE:PVC CASING & CAPING:25MM OR 1IN Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC gitti, Regular Casing Pipes (ONGC), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Vertical Blinds (V2), Large Outer Diameter Casing Pipes (Petroleum Industry), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Strip Curtain **Searched String**: PVC PIPE:PVC CASING&CAPING:DN-40/1-1/2 " 1, 1, 3 - Triethoxybutane, Nitrile Coated/Nitrile Hand Gloves (V2), Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), Lyophilizer, 1-Bromohexadecane, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Towel Hand Cotton Turkish (IAF), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Cardiopulmonary Bypass Connectors (V2) **Searched String**: CEILING ROSE:STANDARD Ceiling Roses Conforming To IS 371 (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Ceiling OT Light (V2), Chandeliers-Handicraft, Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Universal Pipette Tips (V2), Chandeliers-Handicraft (Bamboo), Standalone Ceiling Mounted Fire Suppression System, Network Attached Storage (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374 **Searched String**: RCBO/RCCB/ELCB:3:32 A/30 MA:415V Bifenthrin 3% + Chlorpyriphos 30% Emulsifiable Concentrate (EC), Entry and Mid Level Desktop Computer, Fehling Solution A&B, Multi function Calibrators, X Ray Machine (200 mA), High End Desktop Computer, 500 mA X - Ray Machine (V2), Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Interactive Panels with CPU, 800 mA X - Ray Machine (V2) **Searched String**: RCBO/RCCB/ELCB:4P:63A/30mA:415V

बिड विवरण/Bid Details	Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), water baths, Multi function Calibrators, File/Folder (V3), Cotton Towelling And Towels Conforming To IS 7056 (V4), Biosafety Cabinet (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Fittings for Rigid Non Metallic Conduits Conforming To IS 3419
बीओक्यू शीर्षक /BOQ Title	ELECTRICAL FITTINGS AND ACCESSORIES NSPCL Bhilai
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	M8270720840

बिड विवरण/Bid Details	
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within **30** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

1. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	M8270720840	100
Schedule 2	M8270720390	30
Schedule 3	M8270720035	30
Schedule 4	M8270120255	100
Schedule 5	M8270120325	20
Schedule 6	M8270783038	100
Schedule 7	M8270783056	200
Schedule 8	M8270783065	200
Schedule 9	M8270783074	100
Schedule 10	M8270783083	25
Schedule 11	M1666600203	60

Schedule 12	M1666600221	500
Schedule 13	M1666600267	60
Schedule 14	M8272970012	100
Schedule 15	M8560764415	10
Schedule 16	M8560535417	15
Schedule 17	M8560317244	15
Schedule 18	M8561116301	100
Schedule 19	M8561119300	100
Schedule 20	M8561125307	120
Schedule 21	M8561134233	50
Schedule 22	M8561434304	50
Schedule 23	M8561443300	30
Schedule 24	M8561734411	30
Schedule 25	M8561425238	30
Schedule 26	M8270720840	100
Schedule 27	M8270720390	30
Schedule 28	M8270120255	100
Schedule 29	M8270783038	100
Schedule 30	M8270783056	200
Schedule 31	M8270783065	200
Schedule 32	M1666600203	60
Schedule 33	M1666600221	400
Schedule 34	M1666600267	60
Schedule 35	M8272970012	100
Schedule 36	M8560535417	10
Schedule 37	M8560764415	5

M8270720840

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	120

M8270720390

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	30	120

M8270720035

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	30	120

M8270120255

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	120

M8270120325

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	20	120

M8270783038

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	120

M8270783056

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	200	120

M8270783065

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	200	120

M8270783074

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	120

M8270783083

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	25	120

M1666600203

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	60	120

M1666600221

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	500	120

M1666600267

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	60	120

M8272970012

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	120

M8560764415

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	10	120

M8560535417

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	15	120

M8560317244

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	15	120

M8561116301

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	120

M8561119300

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	120

M8561125307

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	120	120

M8561134233

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	50	120

M8561434304

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	50	120

M8561443300

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	30	120

M8561734411

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	30	120

M8561425238

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	30	120

M8270720840

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	100	120

M8270720390

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	30	120

M8270120255

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	100	120

M8270783038

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	100	120

M8270783056

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	200	120

M8270783065

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	200	120

M1666600203

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	60	120

M1666600221

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	400	120

M1666600267

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	60	120

M8272970012

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	100	120

M8560535417

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	10	120

M8560764415

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	5	120

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   1.Inspection clause: Visual Inspection shall be done at NSPCL Bhilai PP3/PP2 Store, upon receipt of materi al based on documents submitted by vendor.

   2.Guarantee/warranty Clause: All items should be guaranteed against poor workmanship/ manufacturing defect for a period of 18/12 months from the date of supply/ use of material,whichever is earlier.

   3. PBG Clause: Not Applicable in this case.

   4. Fitment Guarantee:NA

   5. Documents required with Bid for Bid evaluation:

   a.Vendors are requested to submit Techno-commercial offer along with endorsed "tender document and S PC".

   6. Documents required along with material Supply:

   a. Guarantee/ warranty certificate: Not Applicable

   7. Drawing and QP Approval: Not Applicable.

   8. Payment Terms:

   100% payment within 30 days after receipt and acceptance of the material at NSPCL Site Stores

   9.Delivery period and Schedule:

   Delivery to be completed preferably within 4 months from receipt of PO. However, the vendor must endea vour to supply material at the earliest.

   10.Bid Evaluation Criteria: Bid evaluation shall be on item wise.

Note: "Additional Specifications, Buyer Added Bid Specific Terms & Conditions, Attachments (if any) along with Tender specifications shall be deemed unconditi

onally accepted by bidders, unless there are specific representation/s and clarifi cation/s prior to bid submission in GeM portal".

Bidder has to upload self-attested copy of NSPCL technical data sheet and nil de viation certificate as given in GeM bidding document under Compliance to BOQ tab towards acceptance & compliance of technical specifications. **Vendors are requested to submit Techno-commercial offer along with endorsed "te nder document, Nil deviation certificate, Buyer Added ATC"**

.

3. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1

bidders through a Random Algorithm executed by GeM system.

14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---