बिड संख्या/Bid Number: GEM/2026/B/8176101
दिनांक /Dated: 19-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	31-10-2026 10:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	01-11-2026 10:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Steel
विभाग का नाम/Department Name	Steel Authority Of India Limited
संगठन का नाम/Organisation Name	Bhilai Steel Plant
कार्यालय का नाम/Office Name	Materials Management
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :mkkulkarni@sail.in Buyer Email id: srpkandregula@sail.in
वस्तु श्रेणी /Item Category	Operation and Maintenance Of Electrical Systems/Electrical Installations - Oprn and Maint Act of HT BSP Township
अनुबंध अवधि /Contract Period	1 Year(s)
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	24.42 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	7 Year (s)
इसी तरह की सेवाओं का पिछला आवश्यक अनुभव है/Past Experience of Similar Services required	Yes
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes | Partial | Turn over value - 20.76 (in lakhs)
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes | Partial | Turn over value - 20.76 (in lakhs)
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	10
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
अनुमानित निविदा मूल्य (सभी करों सहित) भारतीय रुपये में / Estimated Bid Value in INR (Inclusive of all taxes)	9605055
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of service delivery acceptance certificate (SDAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई अनुपालन/MII Compliance

एमआईआई अनुपालन/MII Compliance	Yes

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	100

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Years of Past Experience required: The bidder must have experience for number of years as indicated above in bid document (ending month of March prior to the bid opening) of providing similar type of services to any Central / State Govt Organization / PSU. Copies of relevant contracts / orders to be uploaded along with bid in support of having provided services during each of the Financial year.
5. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on

documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
7. Past Experience of Similar Services: The bidder must have successfully executed/completed similar Services over the last three years i.e. the current financial year and the last three financial years(ending month of March prior to the bid opening): -
1. Three similar completed services costing not less than the amount equal to 40% (forty percent) of the estimated cost; or
2. Two similar completed services costing not less than the amount equal to 50% (fifty percent) of the estimated cost; or
3. One similar completed service costing not less than the amount equal to 80% (eighty percent) of the estimated cost.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

अतिरिक्त योग्यता /आवश्यक डेटा/Additional Qualification/Data Required

Please upload scope of work:1792232570.pdf

Operation And Maintenance Of Electrical Systems/Electrical Installations - Oprn And Maint Act Of HT BSP Township (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Operation And Maintenance Service Is Required For	Oprn and Maint Act of HT BSP Township
Type of Annual Maintenance Service Provider required	As per ATC
Status/condition of equipment/machine/system (At the time of bid)	As per ATC
Cost of consumable/Material	As per ATC
Cost of spare parts	As per ATC
एडऑन /Addon(s)	

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity(Please select 1 in case operation and maintenance service is required for complete system, otherwise mention actual quantity for each line item)	अतिरिक्त आवश्यकता /Additional Requirement
1	Diptesh Chandrakar Singh	490006,TA Building, Indira Place, Bhilai	1	• Number of months for which Operations & Maintenance service is required during contract period : 12

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   2

   special Conditions of Contract

   2.1 SCOPE OF WORK:

   2.1.1 Location of Job: Bhilai Steel Plant, Township, DISCOM License area

   2.1.2 Scope of Work

   A. Operation of 11KV Switching Station at TDS-1 & TDS-2.

   B. Repair/maintenance work in HT (11KV) Distribution system /Infrastructure (in-between HT outgoing cubi cal of TDS – 1 & 2 to LT PDB’s situated at various locations of Bhilai Township by way of adopting well defi ned maintenance practices / activities, aiming minimum outage time during maintenance by maintaining

CSERC Standard of Performance Regulation.

Note: Erection of new HT lines / cable / pole and augmentation of existing lines, replacement of damaged c onductor and poles and its associated switchgears is not in the scope of this contract.

C. All the logistics to be arranged by the agency for shifting man and material.

D. EXECUTION METHODOLOGY: The crux of having such O&M contract is to perform quality operation & m aintenance of HT infrastructure by deployment of skilled manpower in well define manner adopting standa rd of performance & safety.

E. OPERATION: The entire activity shall be carried out through deployment of skilled manpower at TDS-1 a nd TDS-2 on a 24×7 basis, throughout all 365 days of the year, including Sundays and holidays/National h olidays. The deployed persons must have at least Diploma / ITI in Electrical trade with experience to disch arge duties in HT substations / switching stations and overhead lines. Brief description of the jobs/schedule in mentioned in annexure-HT01

F. MAINTENANCE/REPAIRS:

1. MONITORING: The essence of this activity is to minimize the unforeseen breakdown, hence inspection/m onitoring to be performed on daily basis for which area wise monthly plan will be issued by OA/ His repres entative. Jobs and the Schedule for same is mentioned in annexure-HT02.

2. PREVENTIVE MAINTENANCE: Based on site survey /condition monitoring reports/ instruction of OA or his representative, area. /location will be assigned for preventive maintenance with proper shutdown and with indicated time frame by BSP. Jobs and the Schedule for same is mentioned in annexure-HT03

3. BREAKDOWN MAINTENANCE/REPAIRS: The breakdowns occurs on HT infrastructure due to various reaso ns and are noticed by tripping of HT out-going feeders Breakers at TDS-1 & 2. This information will be shar ed immediately to the Supervisor of contractor/agency available at TDS-1/2 control room by recording tim e of occurrence by the Operator. It will be prime responsibility of the Supervisor of the contractor to organi ze for fault finding/ identification & its rectification. The timings of tripping & final charging time will be rec orded in the log book. The causes of tripping/breakdowns, possible reasons, likely restoration methods, an d the time frame for restoration are indicated in Annexure HT04.

4. UNPREDICTABLE BREAKDOWN REPAIRS: Occurrence of multiple breakdown occurs due to pre monsoon storm / heavy rain in monsoon, causing uprooting of tree / breakages of tree branches & falling on overhead lines and consequently damaging conductors, insulator, blow out of DO fuses, failure of Pin/Disc i nsulator, bending of pole, cross arm, failure of transformer etc. On such event contractor is expected to de

ploy additional manpower for restoration of system within 24hrs. Deduction will not be applicable in such c ases if system is restored within 24 Hrs. If restoration work not completed in 24hrs, deduction will be at dis cretion of OA. Any other job not specifically mentioned above but required to be done for removal of cause of failure will also be covered in the scope of breakdown maintenance.

Notes:

a. If maintenance of transformer at any location is expected to take more than 4 Hrs, then as an alternate arrangement that transformer to be replaced before commencement of the work to avoid prolonged powe r outage in the area. The defective transformer shall be shifted to TDS-1/2 for work.

b. If planned/ shutdown/breakdown repair jobs are prolong due to the circumstances/site condition, OA/ In-charge HT / Shift I/c will certify the delay giving specific reason of it.

c. If the work is not accomplished due to any unforeseen circumstances beyond the control of department / contractor (like pubic disturbance / Public pressure hijacking of work force, Gheraos etc) in stipulated time frame, imposition of penalty will be at the discretion of the OA. Penalty shall be waived off in such cases gi ving sufficient reasons.

d. For preventive routine maintenance, additional manpower shall be supplemented for the work assigned by OA or his representative as on communication at least one day prior and required to be completed in ti me frame of 24 Hrs.

e. If during execution of assigned routine maintenance work (set of given jobs) gets disturb due to any unf oreseen reason/circumstances, then the balance work of the set shall be shifted to next day with permissio n of OA/his representative.

2.1.3 Resources / Facilities to be provided by BSP

a. Consumable spares like (Transformer connecting palm, HT/LT stud & bushing, breather Cable /Cable join ting Kit / Transformer oil / ACSR conductor for changing line etc. will be issued by BSP.

b. Information regarding high temperature points / location i.e. at (HT OH lines / jumpers / transformer) ide ntified after observation taken by Thermo vision camera. On day to day basis it will be provided by Shift I/ c (HT). The location will be logged in measurement book/Register and will be duly signed by representativ e of Out Sourcing Agency & BSP on day to day basis.

c. The location of fault occurred in HT underground cables, will be identified by BSP, however for excavatio n of soil etc manpower support will be provided by Contractor. Further the jointing & testing of the cable wi ll be done by BSP.

2.1.4 Resources/ Facilities to be provided by Contractor

2.1.4.1 Indicative Manpower

a. All activities are performed in all shifts (G, A, B & C), round the clock, 24 hours a day, all 365 days of the year including Sundays, closed holidays and national holidays, strictly as per the instructions of the Operating Authority / Authorized Representative of the Operating Authority.

b. The contractor needs to maintain at least four teams, one each for (1) Operation of TDS-1 (2) Operation of TDS-2 (3) Breakdown maintenance and (4) Preventive maintenance. Team meant for (1),(2) and (3) will work in three shift (A, B & C), and team (4)will work in G-shift. One dedicated supervisor per shift in A,B, C & G should be deployed in order to ensure close supervision of work and safety. With supervisor, each te am should have at least one technician and one helper per shift in order to ensure electrical safety norm. Single person will not be allowed to work. In addition to above one driver needs to be deployed in A, B, C s hifts to ensure movement of Man & material at site.

c. Considering the critical nature of electrical installations and the paramount importance of electrical safet

y, all four groups shall function in close coordination to ensure safe and effective execution of the assigne d activities. To co-ordinate with all these four groups and instruction from OA and miscellaneous official wo rk, one overall site supervisor shall be deployed.

d. Any change in the indicative manpower strength or dilution of the specified skill set may adversely affec t safe operation and maintenance and may lead to safety-related risks.

e. In case the Contractor adopts mechanisation or any other suitable technological intervention for executi on of the activities covered under the Scope of Work, the indicative manpower deployment may be suitabl y modified, subject to prior assessment of the manpower and safety requirements and due intimation to th e OA. Any such modification shall ensure that the required safety, operational effectiveness, response cap ability, and quality of work are not compromised.

f. On the event of major breakdown/work requirement, contractor will have to increase the manpower stre ngth (additional manpower) as per the instruction of OA at no extra cost.

g. Competency requirement of manpower

i. Supervisor: The supervisor of the contractor, who will take instruction from BSP officials shall be minimu m Diploma in Electrical Engg. conversant with working on HT switchgear & infrastructure and capable to e xecute job with work force.

ii. Operational activities at TDS-1 & 2: This includes skilled manpower with capabilities & adequate knowled ge of independently attending to Holding/Releasing shutdown by operating HT Panel / Breakers (11KV) at Switching Station. Deployed person shall be minimum ITI in Electrical Trade.

iii. Maintenance / Repair activities of HT infrastructure: This includes inspection/ identification /fault finding in HT infrastructure and its repair/ maintenance. For this purpose deployed skilled person shall be convers ant, experienced & capable of working at height in HT line.

iv. The HSW manpower should be capable of taking charge of shift Operation & Maintenance.

2.1.4.2 Other Resources (Consumables, Tools & Tackles, Equip, etc.)

a. Continuous deployment of adroit manpower is the essence of the contract, so that power outages due to breakdowns shall be avoided.

b. Any service interruption shall be logged in logbook at TDS2 and Supervisor will communicate to Shift I/c (HT). Further after ensuring complete safety requirement Supervisor & his manpower will rush to attend th e breakdown immediately. Hence it will be obligation on contractor to ensure manpower all the time (24x7) at TDS-2 and After attending the Breakdown Supervisor of the outsourcing agency will communicate to S hift I/c (HT) / C/Man / Operator to put on the system ensuring removal of man & material from site and offli ne confirming testing.

c. The contractor shall provide training and job acquaintance to the entire deployed person for safe and efficient working.

d. Arrangement of safety appliances required for working in HT system / PPEs for all the deployed manpow er is the sole responsibility of the contractor. Contractor shall also provide radium jackets to the persons d eployed in maintenance activity.

e. The contractor shall arrange for height pass for working at height for all the workforce during the entire duration of the contract.

f. All the Tools / Tackles including LED torch, Testing Equipments, Consumable Spares / repair Materials (i.e . Insulators, Jumper wires (Aluminium Conductor), DO Fuse & DO Fuse Unit, AB Switch, Lightening Arrestors, Tree Pruners/Axe, For Transformer :Idly washer, Gasket, silica jell & other material required for l eakages in transformer.

g. The Contractor shall provide a suitable, reliable and well-maintained 2016 model or later vehicle, along with a competent and duly licensed driver, on a 24×7 basis for patrolling, transportation/shifting of manpo wer, materials, tools, tackles and equipment, and attending breakdown, maintenance and emergency sites . The vehicle shall be maintained in roadworthy condition and shall comply with all applicable provisions of the Motor Vehicles Act, Rules and RTO requirements. The Contractor shall ensure that all statutory docum ents, permits, registration, fitness, insurance, pollution certificate and other applicable compliances remai n valid throughout the contract period. Before deployment, original documents shall be produced to the O

A for verification and self-attested copies shall be submitted for record.

h. In case the vehicle is hired/leased by the Contractor, the Contractor shall maintain proper documentary evidence regarding the hiring/lease of the vehicle and shall produce the same for verification whenever re quired.

i. Replacement of Vehicle: In the event that the deployed vehicle becomes unserviceable, unsafe, and una vailable or fails to meet the prescribed statutory requirements, the Contractor shall arrange a suitable com pliant replacement vehicle without any additional cost to the Employer.

j. In case of any breakdown / maintenance of vehicle contractor has to make an alternate arrangement.

k. To perform activity "transformer replacement" arrangement of fouler & truck.

l. Mobile to Supervisor & Staff for communication with control room (TDS-1/TDS-2) to be provided by Contr actor.

m. Labour support for excavation of soil at cable fault point to BSP.

n. RECORDS / DOCUMENTS TO BE MAINTAINED:

i. List of equipment, Tools and Tackles, Testing Equipment etc.

ii. Layout drawings of O/H lines, Cable routes etc. (Initially be provided by BSP)

iii. Substation wise details of : Transformer, AB switches, DO unit, L.A, Earthing system,

iv. Details of Preventive maintenance carried out as per monthly/annual maintenance Plan.

v. The Breakdown natured complaints in Shift will be logged at TDS-2 and shall be coordinated by Supervi sor. The completion time of BD will be logged in the separate Log-Book/Register and will be jointly signed on daily basis by BSP officials as well as contractor representative.

vi. Daily measurement register, Monthly progress report as given in annexure-HT06, shall be maintained b y contractor. Based on the aforesaid Registers, measurement will be logged.

2.2 Mode of measurement:

Mode of measurement will be Lot.

The unit of measurement "Lot" represents complete package of jobs specified in the Scope of Work and in annexure-HT01 to HT04. The quantity of 12 Lots represents the 12-month contract period, with one Lot cor responding to each month of service.

2.3 DURATION OF CONTRACT:

2.3.1 The duration of this contract shall be for a period of 12 Months.

2.3.2 Time period for Mobilization of Resources: The contractor will be permitted a maximum 15 days’ ti me for commencement & preparation to make arrangements for labour, tools, safety appliances etc. so as to take up the work in right earnest. This 15 days’ time is excluded from the total time for execution of the work.

2.3.3 If contractor fails to commence the work as per clause 2.3.2 then Penalty will be imposed as per foll owing formula

Penalty per Day = 1.25 × (Awarded Value of Contract / 365)

2.4 ORDER DISTRIBUTION:

Job will be awarded on single party.

2.5 ELIGIBILITY CRITERIA:

2.5.1. Financial Eligibility

Average Annual Financial Turnover during the last 03 years ending 31st March 2026 should be at least Rs 24.42 Lakhs.

Documents Required:

1. lf requisite Turnover is up to Rs 1 Cr.

- Turnover Certificate from a practicing Chartered Accountant (CA).

2. lf requisite Turnover > Rs 1 Cr.

- Audited Profit and Loss (P/L) Accounts Statement

Note:

a) Turnover shall be submitted exclusive of GST.

b) Turnover Certificate / P&L statement should be in the name of the participating tenderer.

c) Turnover Certificate issued by a practicing Chartered Accountant (CA) shall be considered for evaluation .

d) Financial documents issued by CA must contain Unique Document identification Number (UDIN) and Membership Number of CA.

e) Financial turnover of the bidder during last 3 years, ending 31st March 2026.

e) For MSEs and startups Average Annual Financial Turnover during the last 03 years ending on 31st march 2026 should be at least 20.76 lakhs (Excluding GST). However both MSE and startups shall have to meet eligibility conditions for quality and technical specifications/ requirements

2.5.2. Technical Eligibility

Experience of having successfully completed or substantially completed similar work by the bidder during last seven (07) years ending last day of month previous to the one in which tender is issued should be either of the following: -

a) One similar completed work costing not less than the amount equal to Rs 65.12 Lakhs (excluding GST).

Or

b) Two similar completed works each costing not less than the amount equal to Rs 40.70 Lakhs. (Excluding GST).

Or

c) Three similar completed works each costing not less than the amount equal to Rs 32.56 Lakhs. (Excluding GST).

2.5.3. Similar Works means: Bidder should have experience of

"Operation & Maintenance of HT infrastructure (11KV & above)"

OR

"Installation and commissioning of HT infrastructure (11KV & above)".

Contractor must have valid A class electrical contractor license issued from competent electricity authority of state or central. In case contractor is having A Class License issued by other than CG Govt. then contrac tor shall have to obtain clearance from CG Govt.'s appropriate Authority within 15 days from issue of awar d letter.

2.5.4 Note:

i) Experience should be from Central/State Govt. Organizations/PSUs/ Public Limited Companies /Joint Vent ure Company where at least one of the partners shall be Central or State Government Organization or PSU .

Following documents will be required for substantiating eligibility against the above criteria:

ii) Self-attested copies of Work orders.

iii) Self-attested copies of Completion Certificate (issued by the concerned work Executing Authority etc.)

In fulfilment of criteria following to be noted:

(i) Substantially completed ongoing Work orders having duration of contract of more than one year may al so be considered for technical evaluation under 'similar work' as per Eligibility criteria, if the party has com pleted at least one year of the period of work order and at least 50% of the work as per the work order. In such case already executed value shall be considered for evaluation.

(ii) In case work completion certificate is issued without value of completed work, RA bills paid or any othe r document(s) evidencing value of completed work may also be considered.

(iii) The Work Order and completion certificate / Paid Bills so submitted should be in the name of participati ng tenderer.

(iv) All work-orders having similar work where completion date falls within last 07 years ending last day of month previous to the one in which tenders are invited shall be considered for evaluation as per Eligibility criteria, irrespective of date of work-order.

2.6 PAYMENT, PENALTY & PRICE VARIATION CLAUSE:

2.6.1 Payment Terms:

a. The Contractor has to submit monthly RA Bills to the Operating Authority.

b. The payment will be made after deducting following from the Bills: TDS, other statutory deductions, Sec urity Deposit, LD/Penalty (if any), and deducting dues towards SAIL, if any.

c. 1st RA Bill shall be paid only after submission of documents towards signing of Contract Agreement as p er Instructions to the Bidder documents & compliance to labour laws/conditions (if applicable).

d. Contractor is required to submit 3% of awarded value as security deposit before claiming of RA bill.

2.6.2 Penalty:

2.6.2.1 Deduction clause: Measurement will be recorded in Format for Daily Measurement Register as given in annexure-HT06(Entries only for illustration purpose), Optimum time allowed for attending the different complaints and expected time for restoration (Given in annexure HT03 and HT04) will be logged (which shall be confirmed through Panel Meters). Delay beyond allowed time will attract penalty in the work. In no case penalty shall be waived off without valid justification/reason certified by the Contract Operating Authority / in charge (HT).

2.6.2.2 For the jobs mentioned in annexure HT01 and annexure HT02, A checklist have to be maintained by contractor, each non-compliance for the jobs mentioned in checklist will attract penalty of 1000 rupees.

2.6.2.3 The deduction shall be calculated based on the per-day award rate derived from the awarded contract value.

For this purpose, the monthly payable amount shall be calculated as:

Monthly Payable Amount = Monthly Awarded Rate x {1 – No of Penalty slots/2920},

Where 2920 represents the total number of 15-minute time slots in a month,

Calculated as 365 days × 24 hours × 4 slots per hour ÷ 12 months.

Alternatively, if A = Awarded Contract Value ÷ 365, then each 15-minute slot of delay beyond the stipulated allowable restoration time shall attract a deduction of A/96, where 96 represents the number of 15-minute slots in a day (24 hours × 4). The penalty shall be calculated based on the actual number of 15-minute slots of delay. Method of measurement, daily measurement format and monthly record format is attached in annexure HT05.

Further, where a fault recurs within 7 days of completion of the planned preventive maintenance in the concerned area and the recurrence is not supported by a valid and justifiable reason, a deduction equivalent to the number of 15-minute time slots taken for restoration of the recurring fault shall be made for each such occurrence.

2.6.3 Price Variation Clause or Fixed Price: No price variation will be given. It will be fixed price contract.

2.7 LD CLAUSE: As per General Conditions of Contract for Procurement of Services (SAIL- S1)

2.8 OPERATING AUTHORITY: AGM (TEED) will be the Operating Authority.

2.9 TAXES AND DUTIES: As per Annexure TD-GST

3.0 OTHER CONDITIONS:

3.0.1 Contractor will have to obtain height pass for his workers, working on pole apart from providing standard personnel safety equipment’s.

3.0.2 Supervisor of the contractor will take shutdown before working in HT infrastructure all the time as per procedure.

3.0.3 Shut down procedure will be followed as per BSP existing system in EL-16 form.

3.0.4 Contractor must ensure that his working staff should report in beginning of each shift well in time, no delay will be permitted in any case especially in shifts.

3.0.5 The contractor labours should have valid certificate/permission from the competent electricity authority of state or central.

3.0.6 Any damages/theft to Thermo vision camera issued to outsourcing agency will lead to deduction of its depreciated cost @ 5% per annum.

3.0.7 Any theft/damages to BSP property will lead to deduction of its depreciated cost as per applicable rates.

3.0.8 The frequency of breakdown may vary depending upon the climatic condition/season. On any situati

on there will be no claim of the contractor regarding its variation.

3.0.9 Bidder to whom the order will be placed must open office in Chhattisgarh State, and to ensure the sa me provide sufficient Address Proof like Aadhar Card / Telephone Bill / Electricity Bill /Voter ID etc.

3.1 JOB SPECIFIC SAFETY CONDITION

3.1.1 Operational / Switching Safety (HT panels, TDS-1 & TDS-2)

• Before any panel operation, breaker removal/positioning, or coupling/sectionalizing at TDS-1/TDS-2 the C ontractor's Shift In-charge shall verify isolation/de-energization status against the shift log and the EL-16 s hutdown record before permitting hands-on work. Verbal confirmation between outgoing and incoming pe rsonnel is not sufficient on its own.

• No worker shall take shelter behind live electrical panels or inside motor/panel rooms during storms or br eakdowns.

• A minimum of two competent persons shall be present for any operation adjacent to live HT switchgear (breaker positioning, coupling, sectionalizing); solo operation on energized HT switchgear is not permitted, i ncluding during night shifts.

• Arc-flash-rated PPE (face shield/arc suit, as advised by the Safety Department) shall be worn for switchin g operations on HT breakers/cubicles, in addition to the standard PPE.

3.1.2 Shutdown & Permit-to-Work Coordination across HT and LT

• The Contractor shall maintain a joint Shutdown & Clearance Log at TDS-1/TDS-2, cross-referencing every HT-side shutdown (EL-16 Form) against any LT-side work it enables or affects, and vice versa — so t hat (a) LT crews never assume a downstream line is dead without a countersigned HT-side shutdown confi rmation for the relevant feeder, and (b) HT crews restoring supply confirm, via the same log, that no LT cr ew is still working on the affected downstream section before re-energizing.

• The Contractor's HT Shift In-charge and the relevant LT Site/Section In-charge shall jointly countersign bo th the shutdown and the restoration entries for any job spanning the HT/LT boundary.

3.1.3 Working at Height & on Poles

• Pole-climbing for shall only be performed using proper climbing spikes/belts and a full-body harness wit h double lanyard; the pole's structural condition (rot, cracking, lean) shall be visually checked before climb ing — in addition to Annexure-SC and the height-related violation categories at Annexure-SCA.

• Before climbing any pole or working on any elevated LT line, the crew shall confirm there is no unmarked or un-insulated HT line/jumper within reach of the work location.

3.1.4 Excavation & Underground HT Cable Work

• Before excavation at a suspected HT underground-cable fault point, the Contractor must obtain fault-location marking and cable-route confirmation from BSP, and shall not commence digging until this is provi ded, to avoid damaging adjacent live cables.

3.1.5 Vehicle-Mounted Equipment & Transformer Handling

• Operators of the hydraulic platform/fowler/multi-utility vehicles shall hold valid operating competency for that specific equipment; the equipment's SWL and fitness certificates shall be available on-site at all times .

• An exclusion zone shall be barricaded around any vehicle-mounted platform in use, and the vehicle shall not be moved with a worker on the platform.

• Transformer replacement shall be treated as a lifting operation: rigging checked, load path kept clear of personnel, and the failed unit verified de-energized on both HT and LT sides before handling begins, since a failed transformer may carry residual charge or be live on one side only.

3.1.6 Battery & Transformer-Area Precautions

• Battery charger/battery maintenance: acid-resistant gloves and eye protection for filling distilled water o r checking specific gravity; no naked flame/smoking in the battery area; a spill-response kit available at T DS-1 and TDS-2.

• Oil-topping/leakage work on transformers shall have a fire extinguisher positioned at the work location fo r the job's duration.

3.1.7 Breakdown & Emergency-Response Discipline

• During mass-breakdown/monsoon restoration, the pressure to restore supply quickly is not a reason to b ypass any step in Annexure-SC (safety briefing, shutdown clearance, PPE) — restoration speed shall never come at the cost of a skipped safety step.

• A minimum of two persons shall attend any breakdown call; solo attendance at a live-fault location is not permitted, regardless of urgency.

• Waterlogged areas after storms shall be treated as a possible electrical-leakage hazard until checked; w orkers shall not wade into standing water near poles/PDBs/consumer service points without first confirmin g the area is de-energized.

3.2 Security deposit: As per Annexure-SD

3.3 Annexures to be included in NIT-Annexure HT01, Annexure HT02, Annexure HT03, Annexure HT04, An nexure HT05

.

2. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including

specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

This Bid is governed by the सामान्य नियम और शर्तें/General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to this Service as provided in the Marketplace. However in case if any condition specified in सामान्य नियम और शर्तें/General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---